PATTERN RECOGNITION

THE JOURNAL OF THE PATTERN RECOGNITION SOCIETY

VOLUME CONTENTS AND AUTHOR INDEX
VOLUME 31 (1998)

PERGAMON

PATTERN RECOGNITION
The Journal of the Pattern Recognition Society

Editor-in-Chief: ROBERT S. LEDLEY
National Biomedical Research Foundation, Georgetown University Medical Center, Washington, DC

Managing Editor: BLAIRE V. MOSSMAN
P.O. Box 13177, Scottsdale, AZ 85267-3177

Associate Editors

M. AHMADI, Canada
AKRAM ALDROUBI, U.S.A.
I. ANDREADIS, Greece
MASAYOSHI AOKI, Japan
ROBERT H. ASENDORF, U.S.A.
NIKOS ASIMOPOULOS, U.S.A.
RICHARD A. BALDOCK, U.K.
R. BERGEVIN, Canada
J. ROSS BEVERIDGE, U.S.A.
BIR BHANU, U.S.A.
PRABIR BHATTACHARYA, U.S.A.
ZHAOQI BIAN, China
CAROLYN M. BJORKLUND, U.S.A.
I. BLOCH, France
RUUD M. BOLLE, U.S.A.
N. BOURBAKIS, U.S.A.
ALAN C. BOVIK, U.S.A.
ERNESTO BRIBIESCA, Mexico
ALFRED BRUCKSTEIN, Israel
MICHAEL BUAS, U.S.A.
TERRY CAELLI, Australia
VIRGINIO CANTONI, Italy
B. B. CHAUDHURI, India
HOMER H. CHEN, U.S.A.
SU-SHING CHEN, U.S.A.
H. D. CHENG, U.S.A.
RAJ S. CHHIKARA, U.S.A.
LUIGI CINQUE, Italy
RICHARD W. CONNERS, U.S.A.
KNUT CONRADSEN, Denmark
CHRISTIAN H. DEBRUNNER, U.S.A.
ALBERTO DEL BIMBO, Italy
EDWARD J. DELP, U.S.A.
MITA D. DESAI, U.S.A.
MICHEL DHOME, France
STANLEY DUNN, U.S.A.
MASAKAZU EJIRI, Japan
KURT ENSLEIN, U.S.A.
MARTIN A. FISCHLER, U.S.A.
PATRICK J. FLYNN, U.S.A.
HERBERT FREEMAN, U.S.A.
JOYDEEP GHOSH, Canada
MARK L. GILLENSON, U.S.A.
LEV GOLDFARB, Canada
D. B. GOLDGOF, U.S.A.
YIFAN GONG, U.S.A.
NIKOLAI GORSKY, Russia
ARDESHIR GOSHTASBY, U.S.A.
V. GOVINDARAJU, U.S.A.
JAMES GRAHAM, U.K.
ERIK GRANUM, Denmark
M. GRAZIA ALBANESI, Italy
WILLIAM Z. GROSKY, U.S.A.
LALIT GUPTA, U.S.A.
ADOLFO GUZMAN, Mexico
EDWIN R. HANCOCK, U.K.
ANDREW J. HANSON, U.S.A.
J. P. HATON, France
THOMAS C. HENDERSON, U.S.A.
WILLIAM E. HIGGINS, U.S.A.
WILLIAM A. HOFF, U.S.A.
N. HONDA, Japan
RADU HORAUD, France
JAMES H. HOWARD, JR, U.S.A.
JONATHAN J. HULL, U.S.A.
J. ILLINGWORTH, U.K.
ATSUSHI IMIYA, Japan
HORACE H. S. IP, Hong Kong
ANIL K. JAIN, U.S.A.
RAMESH JAIN, U.S.A.
MOSHE KAM, U.S.A.
T. KASPARIS, U.S.A.
RANGACHAR KASTURI, U.S.A.
E. KAWAGUCHI, Japan
KLARA KEDEM, Israel
H. R. KESHAVAN, U.S.A.
A. KHOTANZAD, U.S.A.
N. KIRYATI, Israel
TADAHIRO KITAHASHI, Japan
J. V. KITTLER, U.K.
JACK KOPLOWITZ, U.S.A.
WALTER G. KROPATSCH, Austria
ADAM KRZYZAK, Canada
CHIA-HONG LEE, Taiwan
JAMES S. J. LEE, U.S.A.
SEONG-WHAN LEE, Korea
REINER LENZ, Sweden
JIA-GUU LEU, U.S.A.
S. LEVIALDI, Italy
C. C. LI, U.S.A.
XIAOBO LI, Canada
PING LIANG, U.S.A.
MICHAEL LINDENBAUM, Israel
GUY LORETTE, France
HONG-QIAN LU, U.S.A.
YI LU, U.S.A.
MICHAEL MAGEE, U.S.A.
ABHIJIT MAHALANOBIS, U.S.A.
HENRI MAITRE, France
JOHN W. MARTIN, U.S.A.
PETER MEER, U.S.A.
R. MEHROTRA, U.S.A.
B. M. MEHTRE, India
ROBERT A. MELTER, U.S.A.
ROGER MOHR, France
RICHARD MOORE, U.S.A.
JEAN-VINCENT MOREAU, France
SHIGEO MORISHIMA, Japan
RANDY MOSS, U.S.A.
YASUAKI NAKANO, Japan
N. NANDHAKUMAR, U.S.A.
S. NAYAR, U.S.A.
LAWRENCE O'GORMAN, U.S.A.
PATRICK L. ODELL, U.S.A.
STELIOS C. ORPHANOUDAKIS, Greece
DAVID W. PAGLIERONI, U.S.A.
Y.-H. PAO, U.S.A.
CHAN M. PARK, Korea
M. PAWLAK, Canada
YUN PENG, U.S.A.
MICHAEL A. PENNA, U.S.A.
JEROME K. PERCUS, U.S.A.
JIM PIPER, U.S.A.
REJEAN PLAMONDON, Canada
TING-CHUEN PONG, Hong Kong
N. RANGANATHAN, U.S.A.
A. RAVISHANKAR RAO, U.S.A.
S. RAUDYS, Lithuania
T. REED, U.S.A.
CELSO RIBEIRO, Brazil
MICHAEL ROBINSON, U.S.A.
A. ROSENFELD, U.S.A.
FRANK H. RUDDLE, U.S.A.
HANAN SAMET, U.S.A.
J. SCHUERMANN, Germany
SHOKRI Z. SELIM, Saudi Arabia
ISHWAR K. SETHI, U.S.A.
MUBARAK SHAH, U.S.A.
LINDA G. SHAPIRO, U.S.A.
FRANK Y. SHIH, U.S.A.
YOSHIAKI SHIRAI, Japan
M. SHRIDHAR, U.S.A.
JACK SKLANSKY, U.S.A.
MICHAEL SPANN, U.K.
SARGUR N. SRIHARI, U.S.A.
M. D. SRINATH, U.S.A.
LOUISE STARK, U.S.A.
GEORGE STOCKMAN, U.S.A.
CHING Y. SUEN, Canada
KOKICHI SUGIHARA, Japan
SHINICHI TAMURA, Japan
T. N. TAN, U.K.
STEVEN L. TANIMOTO, U.S.A.
JULIAN R. ULLMANN, U.K.
SCOTT UMBAUGH, U.S.A.
MICHAEL UNSER, U.S.A.
JOHN W. VAN NESS, U.S.A.
ANDREW M. WALLACE, U.K.
HARRY WECHSLER, U.S.A.
MICHAEL WERMAN, Israel
ROLAND WILSON, U.K.
HONG YAN, Australia
YEE-HONG YANG, Canada
N. YOKOYA, Japan
DEAN M. YOUNG, U.S.A.
MARSHALL YOVITS, U.S.A.
SOTIRIOS G. ZIAVRAS, U.S.A.

Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Published Monthly.

© 1998 *Pattern Recognition Society*

Subscription Rates
Annual Institutional Subscription Rates 1998: Europe, The CIS and Japan 2798.00 Dutch Guilders. All other countries US $1608.00. Associated Personal Subscription rates are available on request for those whose institutions are library subscribers. Members of the Pattern Recognition Society will receive the journal free of charge as part of their membership to the Society. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

For orders, claims, product enquiries (no manuscript enquiries) please contact the Customer Support Department at the Regional Sales Office nearest to you.

Any enquiry relating to subscriptions should be sent to: The Americas: Elsevier Science Customer Support Department, P.O. Box 945, New York, NY 10010, U.S.A. [Tel: (+ 1) 212-633-3730, 1-888 4ES-INFO. Fax: (+ 1) 212-633-3680. E-mail: usinfo-f@elsevier.com]. Japan: Elsevier Science Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan [Tel: (+ 81) 3-5561-5033. Fax: (+ 81) 3-5561-5047. E-mail: info@elsevier.co.jp]. Asia Pacific (excluding Japan): Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millenia Tower, Singapore 039192. [Tel: (+ 65) 434-3727. Fax: (+ 65) 337-2230. E-mail: asiainfo@ elsevier.com.sg]. Rest of the World: Elsevier Science Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands. [Tel: (+ 31) 20-485-3757. Fax: (+ 31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl].

Back Issues. Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Elsevier Science offices (Oxford and New York). Complete volumes and single issues can be purchased for 1993–1997. Earlier issues are available in high quality photo-duplicated copies as complete volumes only. Back volumes on microfilm are available from UMI, 300 North Zeeb Road, Ann Arbor, MI 48106, U.S.A.

PERIODICALS POSTAGE PAID AT RAHWAY, NEW JERSEY. *Pattern Recognition* (ISSN 0031-3203) is published monthly, January to December, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. The annual subscription in the U.S.A. is $1608.00. *Pattern Recognition* is distributed by Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001. POSTMASTER: please send address corrections to *Pattern Recognition*, c/o Elsevier Science Regional Sales Office, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A. [Tel: (+ 1) 212-633-3730 1 888 4ES-INFO. Fax: (+ 1) 212-633-3680. E-mail: usinfo-f@elsevier.com].

VOLUME CONTENTS

Number 1

Y.-S. Chen and T.-D. Lin	1	An investigation into the closure process in human visual perception for line patterns
D. G. Joshi, Y. V. Rao, S. Kar, V. Kumar and R. Kumar	15	Computer-vision-based approach to personal identification using finger crease pattern
R. Mehrota	23	Establishing motion-based feature point correspondence
J. S. Park and J. H. Han	31	Contour motion estimation from image sequences using curvature information
G. Kim and V. Govindaraju	41	Handwritten phase recognition as applied to street name images
F. Sand and E. R. Dougherty	53	Asymptotic granulometric mixing theorem: morphological estimation of sizing parameters and mixture proportions
C. L. Tan and P. O. Ng	63	Text extraction using pyramid
S. Z. Li, W. Y. C. Soh and E. K. Teoh	73	Relaxation labeling using augmented Lagrange–Hopfield method
C. Guerra	83	2D object recognition on a reconfigurable mesh
P. Bottoni, L. Cinque, S. Levialdi and P. Mussio	89	Matching the resolution level to salient image features

Number 2

D. Zugaj and V. Lattuati	105	A new approach of color images segmentation based on fusion region and edge segmentations outputs
T.-W. Shen, D. P. K. Lun and W. C. Siu	115	On the efficient computation of 2-D image moments using the discrete Radon transform
L. Best and M. Magee	121	Autonomous construction of three-dimensional models from range data
G. C. Lee and G. Stockman	137	Detection of object wings in fused range and intensity imagery
Y. Dai and Y. Nakano	159	Recognition of facial images with low resolution using a Hopfield memory model
K. Xu, A. R. Luxmoore and T. Davies	169	Sewer pipe deformation assessment by image analysis of video surveys
A. M. Bruckstein and D. Shaked	181	Skew-symmetry detection via invariant signatures

R. G. Webster and M. Nakagawa 193 An interface-oriented approach to character recognition based on a dynamic model

Y. El-Sonbaty and M. A. Ismail 205 A new algorithm for subgraph optimal isomorphism

Number 3

S. Kwong, Q. H. He, K. F. Man and K. S. Tang 219 A maximum model distance approach for HMM-based speech recognition

S. Kundu 231 A solution to histogram-equalization and other related problems by shortest path methods

D. Cheng and H. Yan 235 Recognition of handwritten digits based on contour information

T. M. Ha, M. Zimmermann and H. Bunke 257 Off-line handwritten numeral string recognition by combining segmentation-based and segmentation-free methods

S.-H. Jeng, H. Y. M. Liao, C. C. Han, M. Y. Chern and Y. T. Liu 273 Facial feature detection using geometrical face model: an efficient approach

K. S. Yoon, Y. K. Ham and R.-H. Park 283 Hybrid approaches to frontal view face recognition using the hidden Markov model and neural network

J. Gong, L. Li and W. Chen 295 Fast recursive algorithms for two-dimensional thresholding

S. Kaveti, E. K. Teoh and H. Wang 301 Efficient algorithms for obtaining algebraic invariants from higher degree implicit polynomials or recognition of curved objects

L. Gupta and T. Sortrakul 315 A Gaussian-mixture-based image segmentation algorithm

K.-L. Chung and K.-B. Hong 327 Level compression-based image representation and its applications

S.-C. Pei and L.-G. Liou 333 Vehicle-type motion estimation by the fusion of image point and line features

Number 4

R. Muzzolini, Y.-H. Yang and R. Pierson 345 Classifier design with incomplete knowledge

B. Lerner, H. Guterman, M. Aladjem, I. Dinstein and Y. Romem 371 On pattern classification was Sammon's nonlinear mapping—An experimental study

V. Murino, C. Ottonello and S. Pagnan 383 Noisy texture classification: A higher-order statistics approach

Y. Hamamoto, S. Uchimura, M. Watanabe, T. Yasuda, Y. Mitani and S. Tomita — 395 A Gabor filter-based method for recognizing handwritten numerals

F.-H. Cheng — 401 Multi-stroke relaxation matching method for handwritten Chinese character recognition

S. Buczkowski, S. Kyriacos, F. Nekka and L. Cartilier — 411 The modified box-counting method: Analysis of some characteristic parameters

J. Crespo and V. Maojo — 419 New results on the theory of morphological filters by reconstruction

M. Parizeau, N. Ghazzali and J.-F. Hébert — 431 Optimizing the cost matrix for approximate string matching using genetic algorithms

K. S. Roh and In-So Kweon — 441 2-D object recognition using invariant contour descriptor and projective refinement

D. H. Chung, I. D. Yun and S. U. Lee — 457 Registration of multiple-range views using the reverse-calibration technique

S. Das and B. Bhanu — 465 A system for model-based object recognition in perspective aerial images

Number 5

J. Hu and H. Yan — 493 Structural primitive extraction and coding for handwritten numeral recognition

N. V. S. Reddy and P. Nagabhushan — 511 A three-dimensional neural network model for unconstrained handwritten numeral recognition: a new approach

A. Amin — 517 Off-line Arabic character recognition: the state of the art

B. B. Chaudhuri and U. Pal — 531 A complete printed *Bangla* OCR system

D.-M. Tsai and C.-T. Lin — 551 A moment-preserving approach for depth from defocus

G. Pajares, J. M. Cruz and J. Aranda — 561 Relaxation by Hopfield network in stereo image matching

X. Shen and M. Spann — 575 3D region representation based on run-lengths: operations and efficiency

D. Ziou and A. Koukam — 587 Knowledge-based assistant for the selection of edge detectors

Y. Y. Wong, P. C. Yuen and C. S. Tong — 597 Contour length terminating criterion for snake model

L. J. Latecki and A. Rosenfeld — 607 Supportedness and tameness: differentialless geometry of plane curves

P. N. Suganthan, H. Yan, E. K. Teoh and D. P. Mital 623 Optimal encoding of graph homomorphism energy using fuzzy information aggregation operators

D. J. Hand, J. J. Oliver and A. D. Lunn 641 Discriminant analysis when the classes arise from a continuum

Number 6

C. Lee and B. Wu 651 A Chinese-character-stroke-extraction algorithm based on contour information

C.-F. Lin and C.-W. Chen 665 A new approach to the verification of Chinese signatures with variant orientations and scales using relaxation and state-space search methods

X. Li, M. Parizeau and R. Plamondon 675 Segmentation and reconstruction of on-line handwritten scripts

J. M. Iñesta, M. Buendía and M. A. Sarti 685 Reliable polygonal approximations of imaged real objects through dominant point detection

D. Hong, T. Sarkodie-Gyan A. W. Campbell and Y. Yan 699 A prototype indexing approach to 2-D object description and recognition

H. Zha, H. Nanamegi and T. Nagata 727 Recognizing 3-D objects by using a Hopfield style optimization algorithm for matching patch-based descriptions

S. Rout, S. P. Srivastava and J. Majumdar 743 Multi-modal image segmentation using a modified Hopfield neural network

T. Lee, P. C. Ching and L. W. Chan 751 Isolated word recognition using modular recurrent neural networks

L. Oriat and E. Lantz 761 Subpixel detection of the center of an object using a spectral phase algorithm on the image

P. Gvozdjak and Z.-N. Li 773 From nomad to explorer: active object recognition on mobile robots

A. Garrido, N. Pérez de la Blanca and M. Garcia-Silvente 791 Boundary simplification using a multiscale dominant-point detection algorithm

B. McGregor 805 Automatic registration of images of pigmented skin lesions

Note

T. Arndt, G. Costagliola and S. K. Chang 819 Comments on "Mesh and pyramid algorithms for iconic indexing"

A. Choudhary and S. Ranka 821 Comments on "Mesh and pyramid algorithms for iconic indexing": authors' reply

Announcement I

Number 7

K.-C. Fan, D.-F. Chen and M.-G. Wen 823 Skeletonization of binary images with nonuniform width via block decomposition and contour vector matching

I. R. Greenshields and J. A. Rosiene 839 A fast wavelet-based Karhunen–Loeve Transform

F. Murtagh and J. L. Starck 847 Pattern clustering based on noise modeling in wavelet space

H. D. Cheng, J.-R. Chen and J. Li 857 Threshold selection based on fuzzy c-partition entropy approach

M.-S. Shyu and J.-J. Leou 871 A genetic algorithm approach to color image enhancement

W. L. Poston and D. J. Marchette 881 Recursive dimensionality reduction using Fisher's Linear Discriminant

S. H. Yoon, J. H. Kim, W. E. Alexander, S. M. Park and K. H. Sohn 889 An optimum solution for scale-invariant object recognition based on the multiresolution approximation

M. Skurichina and R. P. W. Duin 909 Bagging for linear classifiers

B. Günsel and A. M. Tekalp 931 Shape similarity matching for query-by-example

J.-Y. Lu, K.-S. Wu and J.-C. Lin 945 Fast full search in motion estimation by hierarchical use of Minkowski's inequality (HUMI)

C. P. Lam, G. A. W. West and S. Venkatesh 953 Stabilising the camera-to-fixation point distance in active vision

Y. Wang and Q. Zheng 965 Recognition of roads and bridges in SAR images

J. Batlle, E. Mouaddib and J. Salvi 977 Recent progress in coded structured light as a technique to solve the correspondence problem: A survey

Number 8

S. Loncaric 983 A survey of shape analysis techniques

A. Garrido and N. P. De La Blanca 1003 Physically-based active shape models: initialization and optimization

S. Gold, A. Rangarajan, C. P. Lu, S. Pappu and E. Mjolsness 1019 New algorithms for 2D and 3D point matching: pose estimation and correspondence

Bang-Hwan Kim and Rae-Hong Park 1033 Multi-image photometric stereo using surface approximation by Legendre polynomials

Kyeong-Hoon Do, Yong-Suk Kim, Tae-Uk Uam and Yeong-Ho Ha 1049 Iterative relaxational stereo matching based on adaptive support between disparities

S. H. Park, I. D. Yun and S. Uk Lee 1061 Color image segmentation based on 3-D clustering: morphological approach

M. S. Drew, J. Wei and Ze-Nian Li 1077 On illumination invariance in colour object recognition

A. I. Bykov, L. G. Zerkalov, F. J. A. Velasco and M. A. R. Pineda 1089 New connected components algorithms and invariant transformations of digital images

J. Martinez-Baena, J. Fdez-Valdivia, J. A. Garcia and X. R. Fadez-Vidal 1099 A new image distortion measure based on a data-driven multisensor organization

T. N. Tan 1117 From image quadrilaterals to symmetrical trapezia

Soo-Chong Pei, Chin-Lun Lai and F. Y. Shih 1127 A morphological approach to shortest path planning for rotating objects

P. Fränti, J. Kivijärvi and O. Nevalainen 1139 Tabu search algorithm for codebook generation in vector quantization

R. Srinivasan and J. M. Kinser 1149 A foveating–fuzzy scoring target recognition system

B. J. Oommen and R. L. Kashyap 1159 A formal theory for optimal and information theoretic syntactic pattern recognition

J. Modayil, H. Cheng and Xiaobo Li 1179 An improved piecewise approximation algorithm for image compression

Number 9

B. A. Yanikoglu and L. Vincent 1191 Pink Panther: a complete environment for ground-truthing and benchmarking document page segmentation

K.-C. Fan, J.-M. Lu and G.-D. Chen 1205 A feature point clustering approach to the recognition of form documents

S. R. Kundur and D. Raviv 1221 A vision-based pragmatic strategy for autonomous navigation

A. Del Bimbo, M. Mugnaini P. Pala and F. Turco 1241 Visual querying by color perceptive regions

A. F. R. Rahman and M. C. Fairhurst 1255 An evaluation of multi-expert configurations for the recognition of handwritten numerals

K.-C. Fan, L.-S. Wang and Y.-T. Tu 1275 Classification of machine-printed and handwritten texts using character block layout variance

J. Makhoul, R. Schwartz, C. Lapre and I. Bazzi 1285 A script-independent methodology for optical character recognition

X. Shen, M. Spann and P. Nacken 1295 Segmentation of 2D and 3D images through a hierarchical clustering based on region modelling

D. Casasent and W. Cox 1311 RI-MINACE filters to augment segmentation of touching objects

J. C.-M. Lee, T.-C. Pong and A. Esterline 1319 Enhancing object recognition using recency and co-occurrence heuristics

G. Daqi and W. Shouyi 1337 An optimization method for the topological structures of feed-forward multi-layer neural networks

T.-J. Chuang and J.-C. Lin 1343 A new algorithm for lossless still image compression

J.-L. Chen and H.-J. Lee 1353 An efficient algorithm for form structure extraction using strip projection

A. K. Jain and A. Vailaya 1369 Shape-based retrieval: a case study with trademark image databases

H. D. Cheng, C.-Y. Wu and D. L. Hung 1391 VLSI for moment computation and its application to breast cancer detection

Number 10

Stanislav kovačič, Aleš Leonardis and Franjo Pernuš 1407 Planning sequences of views for 3-D object recognition and pose determination

A. Elnagar and A. Basu 1419 From 2D surface patches to 3D reconstructed models: theory and applications

C. P. Lam, G. A. W. West and S. Venkatesh 1431 Stabilising the camera-to-fixation point distance in active vision

V. Cantoni, L. Cinque, C. Guerra, S. Levialdi and L. Lombardi 1443 2-D object recognition by multiscale tree matching

J. Kittler, M. Petrou and W. J. Christmas 1455 A non-iterative probabilistic method for contextual correspondence matching

B. Chanda, M. K. Kundu and Y. Vani Padmaja 1469 A multi-scale morphologic edge detector

M. A. Brown, K. T. Blackwell, H. G. Khalak and G. S. Barbour and T. P. Vogl 1479 Multi-scale edge detection and feature binding: an integrated approach

Ge Cong and Songde Ma 1491 Corner enhancement in curvature scale space

W. X. Wang 1503 Binary image segmentation of aggregates based on polygonal approximation and classification of concavities

L. Y. Tseng and R. C. Chen 1525 Recognition and data extraction of form documents based on three types of line segments

J. Y. Chiang, S. C. Tue and Y. C. Leu 1541 A new algorithm for line image vectorization

S. L. Adler and R. Krishnan 1551 Similarity and affine normalization of partially occluded planar curves using first and second derivatives

H. Nishida 1557 Matching and recognition of deformed closed contours based on structural transformation models

Z. Chen and J. V. Ness 1573 Characterizations of nearest and farthest neighbor algorithms by clustering admissibility conditions

T. Horiuchi 1579 Class-selective rejection rule to minimize the maxi mum distance between selected classes

Number 11

I. Pavlidis, R. Singh and N. P. Papanikolopoulos 1589 On-line handwriting recognition using physics-based shape metamorphosis

Y.-H. Tseng, C.-C. Kuo and H.-J. Lee 1601 Speeding up Chinese character recognition in an automatic document reading system

C.-C. Lin and A. El-Jaroudi 1613 An algorithm to determine the feasibilities and weights of two-layer perceptrons for partitioning and classification

H. Tenmoto, M. Kudo and M. Shimbo 1627 Piecewise linear classifiers with an appropriate number of hyperplanes

B. Tacer and P. J. Loughlin 1635 Non-stationary signal classification using the joint moments of time-frequency distributions

R. Laganière 1643 A morphological operator for corner detection

R. K. K. Yip 1653 A multi-level dynamic programming method for line segment matching in axial motion stereo

Y. Y. Wong, P. C. Yuen and C. S. Tong 1669 Segmented snake for contour detection

J. Siuzdak 1681 A single filter for edge detection

J. F. Hemdal 1687 One-dimensional digital processing of images for straight-line detection

R. Basri, A. J. Grove and D. W. Jacobs 1691 Efficient determination of shape from multiple images containing partial information

A. A. Goshtasby 1705 Three-dimensional model construction from multiview range images: survey with new results

G. Zhou, E. Uzi, W. Feng and B. Yuan 1715 CCD camera calibration based on natural landmarks

S. R. Fountain and T. N. Tan 1725 Efficient rotation invariant texture features for content-based image retrieval

G. H. Watson and K. Gilholm 1733 Signal and image feature extraction from local maxima of generalised correlation

H.-H. Chang and H. Yan 1747 Vectorization of hand-drawn image using piecewise cubic Bezier curves fitting

J. S. Pan and K. C. Huang 1757 A new vector quantization image coding algorithm based on the extension of the bound for Minkowski metric

F. Y. Shih and J. J. Liu 1761 Size-invariant four-scan Euclidean distance trans formation

S. Singh 1767 Effect of noise on generalisation in massively parallel fuzzy systems

A. M. Finch, R. C. Wilson and E. R. Hancock 1777 Symbolic graph matching with the EM algorithm

M. Petrou and A. Matrucceli 1791 On the stability of thresholding SAR images

R. Rodriguez-Sanchez, J. A. Garcia and J. Fdez-Valdivia 1797 The RGF pandemonium: a low-level representational model for images

S. L. Hégarat-Mascle, I. Bloch and D. Vidal-Madjar 1811 Introduction of neighborhood information in evidence theory and application to data fusion of radar and optical images with partial cloud cover

Number 12

B. Yanikoglu and P. A. Sandon 1825 Segmentation of off-line cursive handwriting using linear programming

D. Yu and H. Yan 1835 Separation of single-touching handwritten numeral strings based on structural features

Hee-Seon Park and Seong-Whan Lee 1849 A truly 2-D hidden Markov movel for off-line handwritten character recognition

Quen-Zong Wu, Suh-Yin Lee and I-Chang Jou 1865 On-line signature verification based on logarithmic spectrum

B. Takács 1873 Comparing face images using the modified Hausdorff distance

S. J. Mckenna, S. Gong and Y. Raja 1883 Modelling facial colour and identity with Gaussian mixtures

T. Hogg, H. Talhami and D. Rees	1893	An improved synergetic algorithm for image classification
D. McG Squire and T. Pun	1905	Assessing agreement between human and machine clusterings of image databases
A. Vailaya, A. Jain and H. J. Zhang	1921	On image classification: city images vs. landscapes
V. Manian and R. Vásquez	1937	Scaled and rotated texture classification using a class of basis functions
S. Thompson and A. Rosenfeld	1949	Discrete, nonlinear curvature-dependent contour evolution
Kuo-Liang Chung and Jung-Gen Wu	1961	Fast implementations for mirroring and rotating bincode–based images
K. Miyajima and N. Mukawa	1969	Surface reconstruction by smoothness map estimation
T. D. Pham and M. Wagner	1981	A geostatistical model for linear prediction analysis of speech
J. Maeda, T. Iizawa, T. Ishizaka, C. Ishikawa and Y. Suzuki	1993	Segmentation of natural images using anisotropic diffusion and linking of boundary edges
Jung-Tae Kim and Sung-Yang Bang	2001	A measure of recognition difficulty for a character image database
B. B. Chaudhuri and A. Rosenfeld	2007	On the computation of the digital convex hull and circular hull of a digital region
Joon-Woong Lee and In-So Kweon	2017	Map-based probabilistic reasoning to vehicle segmentation
J. M. Corridoni and A. Del Bimbo	2027	Structured representation and automatic indexing of movie information content
R. D. Boyle	2047	Scaling additional contributions to principal components analysis
A. K. Jain and B. Yu	2055	Automatic text location in images and video frames
K. Al-Ghoneim and B.V.K. Vijaya Kumar	2077	Unified decision combination framework
P. Cucka, N. S. Netanyahu and A. Rosenfeld	2091	"Robotic" estimation: The inefficiency of Random-walk sampling
D. J. Marchette, J. L. Solka, R. Guidry and J. Green	2103	The advanced distributed region of interest tool